

IBM CORPORATION
INTELLECTUAL PROPERTY LAW DEPARTMENT
11400 BURNET ROAD
AUSTIN, TEXAS 78758
FAX # 512-823-1036

RECEIVED
CENTRAL FAX CENTER
JAN 30 2006

DATE: January 30, 2006

Number of Pages to Follow (including cover sheet) 32

SEND TO: United States Patent Office

Examiner: David R. Lazaro

Group Art Unit: 2155

Tel No: 571-272-3986

Fax# 571-273-8300

FROM: Patsy Spears

Tel No: 512-823-1008

THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED, AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERING THE MESSAGE TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE AND RETURN THE ORIGINAL MESSAGE TO US AT THE ADDRESS ABOVE VIA THE U.S. POSTAL SERVICE. THANK YOU.

Docket No. JP920010021US1

Serial No. 10/076,379

Atty: David A. Mims Jr.

Applicant: Kohji Hashimoto

<input checked="" type="checkbox"/> Transmittal Form	<input checked="" type="checkbox"/> Certificate of Facsimile	<input checked="" type="checkbox"/> Fee Transmittal
<input type="checkbox"/> Amendment	<input checked="" type="checkbox"/> Appeal Brief	
<input type="checkbox"/> Amendment AF	Notice of Appeal	
<input type="checkbox"/> Ext. of Time	Reply Brief	
<input type="checkbox"/> IDS Statement	Change of Address	
<input type="checkbox"/> Other		

Deposit Acct. No. / 09-0447

Fees: Amendment _____ Notice of Appeal

\$500 Appeal Brief

Other

JAN 30 2006

PTO/SB/21 (09-04)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TRANSMITTAL FORM (to be used for all correspondence after initial filing)	Application Number	10/076,379	
	Filing Date	February 14, 2002	
	First Named Inventor	Kohji Hashimoto	
	Art Unit	2165	
	Examiner Name	David R. Lazaro	
Total Number of Pages In This Submission	32	Attorney Docket Number	JP620010021US1

ENCLOSURES (Check all that apply)		
<input checked="" type="checkbox"/> Fee Transmittal Form <input type="checkbox"/> Fee Attached <input type="checkbox"/> Amendment/Reply <input type="checkbox"/> After Final <input type="checkbox"/> Affidavits/declaration(s) <input type="checkbox"/> Extension of Time Request <input type="checkbox"/> Express Abandonment Request <input type="checkbox"/> Information Disclosure Statement <input type="checkbox"/> Certified Copy of Priority Document(s) <input type="checkbox"/> Reply to Missing Parts/Incomplete Application <input type="checkbox"/> Reply to Missing Parts under 37 CFR 1.52 or 1.53	<input type="checkbox"/> Drawing(s) <input type="checkbox"/> Licensing-related Papers <input type="checkbox"/> Petition <input type="checkbox"/> Petition to Convert to a Provisional Application <input type="checkbox"/> Power of Attorney, Revocation <input type="checkbox"/> Change of Correspondence Address <input type="checkbox"/> Terminal Disclaimer <input type="checkbox"/> Request for Refund <input type="checkbox"/> CD, Number of CD(s) _____ <input type="checkbox"/> Landscape Table on CD	<input type="checkbox"/> After Allowance Communication to TC <input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences <input checked="" type="checkbox"/> Appeal Communication to TC (Appeal Notice, Brief, Reply Brief) <input type="checkbox"/> Proprietary Information <input type="checkbox"/> Status Letter <input type="checkbox"/> Other Enclosure(s) (please identify below):
Remarks Appellants' Brief (37 C. F. R. Section 41.37)		

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT		
Firm Name	International Business Machines Corporation	
Signature	<i>David Mims, Jr.</i>	
Printed name	David A. Mims, Jr.	
Date	1/30/06	Reg. No. 32,708

CERTIFICATE OF TRANSMISSION/MAILING		
I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below:		
Signature	<i>Patsy Spears</i>	
Typed or printed name	Patsy Spears	Date Jan 30, 2006

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

JAN 30 2006

Under the Paperwork Reduction Act of 1995 no persons are required to respond to a collection of information unless it displays a valid OMB control number

Approved for use through 07/31/2006. OMB 0851-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Fees pursuant to the Consolidated Appropriations Act, 2005 (H.R. 4818).

FEE TRANSMITTAL **For FY 2006**

☐ Applicant claims small entity status. See 37 CFR 1.27

TOTAL AMOUNT OF PAYMENT (\$) **500.00**

Complete if Known

Application Number 10/076,379
Filing Date February 14, 2002
First Named Inventor Kohji Hashimoto
Examiner Name David R. Lazaro
Art Unit 2155
Attorney Docket No. JP920010021US1

METHOD OF PAYMENT (check all that apply)

- ☐ Check ☐ Credit Card ☐ Money Order ☐ None ☐ Other (please identify): _____
- ☒ Deposit Account Deposit Account Number: 09-0447 Deposit Account Name: IBM Corporation
- For the above-identified deposit account, the Director is hereby authorized to: (check all that apply)
- ☒ Charge fee(s) indicated below ☐ Charge fee(s) indicated below, except for the filing fee
- ☒ Charge any additional fee(s) or underpayments of fee(s) under 37 CFR 1.16 and 1.17 ☒ Credit any overpayments

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

FEE CALCULATION (All the fees below are due upon filing or may be subject to a surcharge.)

1. BASIC FILING, SEARCH, AND EXAMINATION FEES

Application Type	FILING FEES		SEARCH FEES		EXAMINATION FEES		Fees Paid (\$)
	Fee (\$)	Small Entity Fee (\$)	Fee (\$)	Small Entity Fee (\$)	Fee (\$)	Small Entity Fee (\$)	
Utility	300	150	500	250	200	100	
Design	200	100	100	50	130	65	
Plant	200	100	300	150	160	80	
Reissue	300	150	500	250	600	300	
Provisional	200	100	0	0	0	0	

2. EXCESS CLAIM FEES

Fee Description	Fee (\$)	Small Entity Fee (\$)
Each claim over 20 (including Reissues)	50	25
Each independent claim over 3 (including Reissues)	200	100
Multiple dependent claims	360	180
Total Claims	Extra Claims	Fee (\$)
- 20 or HP = _____ x _____ = _____		
HP = highest number of total claims paid for, if greater than 20.		
Indep. Claims	Extra Claims	Fee (\$)
- 3 or HP = _____ x _____ = _____		
HP = highest number of independent claims paid for, if greater than 3.		

3. APPLICATION SIZE FEE

If the specification and drawings exceed 100 sheets of paper (excluding electronically filed sequence or computer listings under 37 CFR 1.52(e)), the application size fee due is \$250 (\$125 for small entity) for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).

Total Sheets	Extra Sheets	Number of each additional 50 or fraction thereof	Fee (\$)	Fee Paid (\$)
- 100 = _____ / 50 = _____ (round up to a whole number) x _____ = _____				

4. OTHER FEE(S)

Non-English Specification, \$130 fee (no small entity discount) **Fees Paid (\$)**

Other (e.g., late filing surcharge): Filing of an Appeal Brief (37 C.F.R. Section 41.37) **\$500.00**

SUBMITTED BY		
Signature <i>David M. Ming, Jr.</i>	Registration No. 32,708 (Attorney/Agent)	Telephone 512-823-0950
Name (Print/Type) David A. Ming, Jr.		Date 1/30/06

This collection of information is required by 37 CFR 1.136. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

2006-01-30 12:27

USAUSLNF

512-823-1036 >> USPTO

RECEIVED P 4/32
CENTRAL FAX CENTER

Docket No. JP9-2001-0021US1
S/N: 10/076,379

JAN 30 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Kohji Hashimoto	§	Group Art Unit: 2155
	§	
Serial No. 10/076,379	§	Examiner: Lazaro, David R.
	§	
Filed: February 14, 2002	§	Confirmation No. 1345
	§	
For: Network System, Server, Clients	§	
Communication Method, And	§	
Communication Computer Program	§	
Product	§	

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

ATTENTION: Board of Patent Appeals and Interferences

APPELLANTS' BRIEF (37 C.F.R. § 41.37)

This Appeal Brief is in furtherance of the Notice of Appeal filed November 30, 2005 (37 C.F.R. § 41.31).

The fees required under § 41.20(b)(2), and any required petition for extension of time for filing this brief and fees therefore, are dealt with in the accompanying Transmittal of Appeal Brief.

02/01/2006 EFLORES 00000029 090447 10076379

01 FC:1402 500.00 DA

Docket No. JP9-2001-0021US1
S/N: 10/076,379

I. Real Party in Interest

The real party in interest in this appeal is the following party: International Business Machines Corporation.

II. Related Appeals and Interferences

There are no related appeals and interferences for this application.

III. Status of Claims

The claims on appeal are Claims 1-35. No claims have been canceled. Each of Claims 1-35 has been finally rejected. Each of Claims 1-35 is appealed.

IV. Status of Amendments

No amendments have been filed subsequent to the Final Office Action. Thus, the status of the claims is as set forth in the amendment filed June 27, 2005.

V. Summary of Claimed Subject Matter

As described on Pages 1-77 of the Application, and as shown in Figures 1-15, the present invention provides a technique for handling the assignment of permanent ID (Identifier) information for ACK (acknowledge) packets and NACK (negative acknowledge) packets during Client/Server transmissions. The ACK packet is transmitted by a Client to indicate successful receipt of transmitted information sent by a Server while the NACK packet is transmitted to indicate a failure to receive transmitted information (See Specification, Page 1, Lines 24-29). As illustrated in Figure 1, Server 11 boardcast data using parabolic antenna 13, which is then relayed by communication satellite 15, to parabolic antenna 14, attached to Client 12. Server 11 may also transmit data using parabolic antenna 13 using radio waves to parabolic antenna 14, to Client 12. (See Specification, Page 31, Lines 2-10). Client 12 is capable of communicating with

Page - 2 -

Docket No. JP9-2001-0021US1
S/N: 10/076,379

Server 11 using a modem 18 using the Internet 21 connected to an Internet Service Provider (ISP) 19. The ACK/NACK packets from Client 12 are transmitted to Server 11 via the Internet 21. When Server 11 fails to receive the ACK/NACK packets following the transmission of information to Client 12, the Server 11 polls any attached Client 12 devices to determine which Client 12 has not responded. In the network as previously described, where Client 12 sends ACK/NACK packets over Internet 21, the Server 11 and Client 12 are granted IP addresses to allow connections to the Internet 21 (See Specification, Page 5, Lines 11-24). The IP addresses are dynamic and are subject to being changed such that Server 11 and Client 12 may fail when attempting to communicate with each other (See Specification, Page 5, Lines 15-24). Applicant's invention discloses the concept of permanent IDs for each Client 12 that is mutually identifiable and unchangeable (See Specification, Page 5, Line 26 through Page 6, Line 2). Applicant discloses the use of a terminal ID which is permanent and mutually identifiable and is granted to each Client 12 along with the IP address (See Specification, Page 34, Lines 12-22). Applicant further discloses where the permanent IDs are stored (See Specification, Page 35, Lines 10-16) in the Name ID field of the ACK packet (Figure 7) and the NACK packet (Figure 8). The permanent IDs of the invention allow the Client 12 and Server 11 to communicate despite changes to the IP addresses.

VI. Grounds of Rejection to be Reviewed on Appeal

The ground of rejection to be reviewed on appeal is as follows:

(1) Claims 1-35 stands rejected under 35 U.S.C. § 103(a) as being unpatentable over Hamilton (U.S. Patent No. 6,392,993) in view of Fraser et al. (U.S. Patent No. 6,629,149).

VII. Argument

A. Rejection of Claims 1-35 under 35 U.S.C. § 103(a) as unpatentable over Hamilton in view of Fraser et al.

The Final Office Action rejected Claims 1-35 under 35 U.S.C. § 103(a) as being unpatentable over Hamilton in view of Fraser et al. That rejection is not well founded and

Docket No. JP9-2001-0021US1
S/N: 10/076,379

should be reversed. The Examiner's rejection of the claims is erroneous for several reasons. First, the combination suggested by the Examiner is not fairly suggested by the references. Second, the references cannot be combined to achieve Applicant's invention. Finally, the Examiner has attempted to use hindsight reconstruction, given the Applicant's disclosure, to supply what the references neither teach nor suggest.

Hamilton discloses a way of sending short data messages from a sending system to a plurality of receiving systems that reduces the networked traffic using two novel protocols. The first protocol is a Statistically Reliable Transmission protocol (Col. 2, Lines 3-17) which is tuned to reduce the probability that any single system will not receive a message. The second protocol, Positive Reliability Transmission Protocol, is employed when the Statistical protocol is insufficient and receipt must be guaranteed. Hamilton discloses that both protocols are based on UDP and both protocols multicast UDP packets to one or many recipients (Col 3, Lines 19-24). The packets transmitted using Hamilton's technique depend upon source and destination IP addresses and UDP ports in the IP and UDP portions of a datagram header (See Col. 10, Line 47 through Col. 11, Line 12). Hamilton discloses that most packet implementations will contain at least the destination ID, the sender ID, each of which comprise an IP address and a port number, and a data field for those packets that transfer data (Col 12, Lines 25-33). Hamilton further discloses that the transmission list comprises the message number, a pointer to the beginning of the message buffer, and for each recipient, the recipient's UDP address (Col. 28, Lines 5-19). Hamilton states that as with other addresses disclosed in the specification, the UDP address of each recipient may comprise an IP address and a UDP port number. Hamilton fails to show or disclose a permanent ID that is mutually identifiable and permanent as in the claimed invention.

Fraser discloses a technique for providing a global-valid address (such as an IP address) which contains device identity in a first field and device location information in a second field

Docket No. JP9-2001-0021US1
S/N: 10/076,379

(Col. 4, Line 19). Fraser discloses that a device recognized by a WAN is called a "global device". Examples of a global device include fixed and wireless telephones that can communicate with other telephones coupled to the WAN (Col. 4, Lines 43-48). Fraser's address structure contains a TYPE FIELD that identifies the address format and function (Col. 5, Lines 33-37), LOCATION ADDRESS FIELD which includes information about the location of a demark between the WAN and the local network (Col. 5, 49-52), DEVICE IDENTITY FIELD which includes a globally unique reference to a device coupled to the WAN (Col. 8, Lines 27-31), and a SOCKET FIELD which includes information about the source and/or destination of communications with a device, and serves to globally identify each communications endpoint (Col. 9, Lines 63-66). Fraser discloses that the invention encompasses any inline agent that exploits the separation of device identifier and device location address information. The invention further encompass inline agents for providing other network services, including network access control, network usage metering, database coherency services, etc. (col. 17, Lines 25-33). While Fraser discloses a technique for separating device identifier and device location address information, it does so in a manner and for a purpose that is far different from that shown in Applicant's invention.

Applicant's invention is directed to eliminating dynamic IP address assignments or pseudo physical device IDs for networked clients (See Specification, Page 2, Lines 17-21 and Page 2, Line 25 through Page 3, Line 6). Applicant's invention achieves this by granting each client a permanent ID that is mutually identifiable and permanent. These permanent ID assignments result from the use of terminal IDs (See Specification, Page 34, Lines 15-16). A server maintains a database of the terminal IDs granted to the clients. The terminal IDs are represented by text (See Specification, Page 34, Lines 19-20). Unlike IP addresses which are

Docket No. JP9-2001-0021US1

S/N: 10/076,379

granted to clients while connecting to the Internet, the terminal IDs do not require a prior Internet connection (See Specification, Page 34, Lines 12-15). IP addresses, unlike terminal IDs are not permanent and are not mutually identifiable. Applicant's invention utilize permanent IDs which are represented by text such as characters and numerals (See Specification, Page 5, Line 28 through Page 6, Line 1). As is well known to those skilled in the art and discussed in the Background of Applicant's invention, IP addresses consist of 32 bits and are granted by a daemon upon logon to the Internet (See Specification, Page 32, Lines 3-20). The IP addresses for the clients are related to the network of the LAN. For example, if the LAN is [9.68.59] then the clients connected to that LAN receive an IP address of [9.68.59.255] (See Specification, Page 32, Lines 3-20). The IP addresses are not permanent or mutually identifiable.

Turning now to Hamilton, the reference specifically calls for the use of IP addresses as known in the prior art. Hamilton discloses that the novel protocols of the invention are based on UDP and both protocols multicast UDP packets to one or many recipients (Col 3, Lines 19-24). The packets transmitted using Hamilton's technique depend upon source and destination IP addresses and UDP ports in the IP and UDP portions of a datagram header (See Col. 10, Line 47 through Col. 11, Line 12). The IP addresses and UDP ports of Hamilton are not permanent or mutually identifiable as in the claimed invention. Applicant's invention in contrast, utilize the terminal IDs which are both permanent and mutually identifiable. Fraser discloses a technique for separating device identifier and device location address information for inline agents for providing network services, including network access control, network usage metering, database coherency services, etc. (Col. 17, Lines 25-33). While Fraser discloses a technique for separating device identifier and device location address information, it does so in a manner far different from that shown in Applicant's invention. Fraser discloses an address structure having four fields including a TYPE FIELD, LOCATION ADDRESS FIELD, DEVICE IDENTITY FIELD, and a SOCKET FIELD. There is no disclosure how Fraser's address structure maybe incorporated into Hamilton's ACK/NACK packet. With respect to Claims 1, 3, 27, and 30, Applicant's invention is distinguished from Hamilton in view of Fraser because the permanent IDs are in a textual

Docket No. JP9-2001-0021US1

S/N: 10/076,379

representation (See Specification, Page 34, Lines 19-20 and Page 5, Line 28 through Page 6, Line 1). The combination of Hamilton and Fraser provides no such capability. Applicant's invention further provides a determination section for determining whether or not to reply based on whether its own permanent ID is contained in a packet for polling that has been received by means of broadcast or multicast; and a reply section for replying or not replying to a server based on the determination made by the determination section. Again, the combination of Hamilton and Fraser is incapable of providing a permanent ID contained in a packet for polling because Fraser's address structure cannot be incorporated into Hamilton's packet. The combination of Hamilton in view of Fraser fails to disclose Applicant's invention of Claims 1, 3, 27, and 30 under 35 U.S.C. § 103(a) and should be reversed.

With respect to Claims 2 and 4, neither of the references disclose polling associated with non-receipt at said server of an ACK or NACK from said clients in response to transmission of file data from said server to said clients. The ACK or NACK generated by the clients of Applicant's invention provides terminal ID information within the packet. The ACK or NACK generated by the combination of Hamilton and Fraser require alternation of Hamilton's structure and is incapable of delivering the information required for polling by the server. Accordingly, the Examiner's rejection of Claims 2 and 4 is erroneous and should be reversed.

With respect to Claims 5, 11, 17-18, 26, 29, 31-32 and 35, there is no teaching or suggestion in any of the references of the concept of a permanent ID information storage section for storing its own permanent ID information, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent. Accordingly, the Examiner's rejection of Claims 5, 11, 17-18, 26, 29, 31-32 and 35 is erroneous and should be reversed.

With respect to Claims 6 and 12, neither of the references teaches or suggests the concept where polling is associated with non-receipt at said server of an ACK or NACK from said clients in response to transmission of file data from said server to said clients, and wherein said reply section puts its client's own permanent ID information in a reply packet to said server. The ACK or NACK packet structures of Hamilton are incapable of being modified with the Fraser's four fields address structure. Accordingly, the Examiner's rejection of Claims 6 and 12 is erroneous and should be reversed.

Docket No. JP9-2001-0021US1

S/N: 10/076,379

With respect to Claims 7, 9, 19-23 and 28, neither of the references discloses the concept of a permanent ID information storage section for storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent. Accordingly, the Examiner's rejection of Claims 7, 9, 19-23 and 28 is erroneous and should be reversed.

With respect to Claims 8 and 10, there is no teaching or suggestion in any of the references of the concept of a permanent ID information storage section for storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent. The combination of Hamilton and Fraser provides no such storage section for permanent IDs of each client where the client is granted an unchangeable permanent ID in a textual representation. Hamilton's structure is incapable of being modified with Fraser four field structure without improper hindsight reconstruction using Applicant's invention. Accordingly, the Examiner's rejection of Claims 8 and 10 is erroneous and should be reversed.

With respect to Claims 13, 15, 24-25 and 33-34, neither of the references teaches or suggests the concept of a permanent ID information storage section for storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent. Accordingly, the Examiner's rejection of Claims 13, 15, 24-25 and 33-34 is erroneous and should be reversed.


With respect to Claims 14 and 16, neither of the references teaches or suggests the concept of a switching section which determines, based on N, which makes the number of packets to be transmitted smaller, the polling mode with non-receipt information or the polling mode with receipt information, and based on the determination switches between the polling mode with non-receipt information and the polling mode with receipt information in said polling transmission section. The combination of Hamilton and Fraser provides no capability where the number of packets to be transmitted is smaller. In fact, any implementation of Hamilton and Fraser would require additional transmissions for the four field address structure disclosed in Fraser. Accordingly, the Examiner's rejection of Claims 14 and 16 is erroneous and should be reversed.

Docket No. JP9-2001-0021US1
S/N: 10/076,379

VIII. Conclusion

In view of the above, Appellants respectfully submit that claims 1-35 of the present application are not taught or suggested by the alleged combination of Hamilton in view of Frascr. Accordingly, Appellants request that the Board of Patent Appeals and Interferences overturn the rejections set forth in the Final Office Action.

Respectfully submitted,



David A. Mims, Jr.

Reg. No. 32,708

(512) 823-0950

ATTORNEY FOR APPELLANTS

Docket No. JP9-2001-0021US1

S/N: 10/076,379

CLAIMS APPENDIX

1. A network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, wherein said server comprises:

 a permanent ID information storage section for storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent; and

 a polling transmission section for transmitting a packet for polling to the clients by means of broadcast or multicast, wherein the packet contains information about the permanent IDs of the clients that need or need not reply to the polling, and

 wherein said client comprises:

 a permanent ID information storage section for storing its own permanent ID information;

 a determination section for determining whether or not to reply based on whether its own permanent ID is contained in the packet for polling that has been received by means of broadcast or multicast; and

 a reply section for replying or not replying to the server based on the determination made by said determination section.

2. The network system according to claim 1, wherein said polling is associated with non-receipt at said server of an ACK or NACK from said clients in response to transmission of file data from said server to said clients.

3. A server in a network system that supports unicast as a communication scheme from the server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, comprising:

 a permanent ID information storage section for storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent; and

Docket No. JP9-2001-0021US1

S/N: 10/076,379

a polling transmission section for transmitting a packet for polling to the clients by means of broadcast or multicast, wherein the packet contains information about the permanent IDs of the clients that need or need not reply to the polling.

4. The server according to claim 3, wherein said polling is associated with non-receipt at said server of an ACK or NACK from said clients in response to transmission of file data from said server to said clients.

5. A client in a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, comprising:

a permanent ID information storage section for storing its own permanent ID information, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

a determination section for determining whether or not to reply based on whether its own permanent ID is contained in the packet for polling that has been received by means of broadcast or multicast; and

a reply section for replying or not replying to the server based on the determination made by said determination section.

6. The client according to claim 5, wherein said polling is associated with non-receipt at said server of an ACK or NACK from said clients in response to transmission of file data from said server to said clients, and wherein said reply section puts its client's own permanent ID information in a reply packet to said server.

7. A network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, wherein said server comprises:

Docket No. JP9-2001-0021US1
S/N: 10/076,379

a permanent ID information storage section for storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

a notification of information transmission section for transmitting a packet for notification of information to the clients by means of broadcast or multicast, wherein the packet contains information about the permanent IDs of the clients that need or need not reply to a polling packet sent afterward; and

a polling transmission section for transmitting a packet for polling to the clients by means of broadcast or multicast after said notification of information transmission section transmits the packet for notification of information, and
wherein said client comprises:

a permanent ID information storage section for storing its own permanent ID information;

a determination section for determining whether or not to reply to the polling afterward based on whether its own permanent ID is contained in the packet for notification of information that has been received by means of broadcast or multicast; and

a reply section for replying or not replying to said server in response to the packet for polling received by means of broadcast or multicast based on the determination made by said determination section after receipt of the packet of said notification of information.

8. The network system according to claim 7, wherein said notification of information is associated with receipt or non-receipt at said server of an ACK or NACK from said clients in response to transmission of file data from said server to said clients, and wherein said polling is associated with non-receipt at said server of an ACK or NACK from said clients in response to the transmission of the file data from said server to said clients.

9. A server in a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, comprising:

Docket No. JP9-2001-0021US1

S/N: 10/076,379

a permanent ID information storage section for storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

a notification of information transmission section for transmitting a packet for notification of information to the clients by means of broadcast or multicast, wherein the packet contains information about the permanent IDs of the clients that need or need not reply to a polling packet sent afterward; and

a polling transmission section for transmitting a packet for polling to the clients by means of broadcast or multicast after said notification of information transmission section transmits the packet for notification of information.

10. The server according to claim 9, wherein said notification of information is associated with receipt or non-receipt at said server of an ACK or NACK from said clients in response to transmission of file data from said server to said clients, and wherein said polling is associated with non-receipt at said server of an ACK or NACK from said clients in response to the transmission of the file data from said server to said clients.

11. A client in a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, comprising:

a permanent ID information storage section for storing its own permanent ID information, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

a determination section for determining whether or not to reply to the polling afterward based on whether its own permanent ID is contained in a packet for notification of information that has been received by means of broadcast or multicast; and

a reply section for replying or not replying to said server in response to a packet for polling received by means of broadcast or multicast based on the determination made by said determination section after receipt of the packet of said notification of information.

Docket No. JP9-2001-0021US1

S/N: 10/076,379

12. The client according to claim 11, wherein said notification of information is associated with receipt or non-receipt at said server of an ACK or NACK from said clients in response to transmission of file data from said server to said clients, and wherein said polling is associated with non-receipt at said server of an ACK or NACK from said clients in response to the transmission of the file data from said server to said clients, and wherein said reply section puts its client's own permanent ID information in a reply packet to said server.

13. A network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, wherein said server comprises:

a permanent ID information storage section for storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

a polling transmission section for polling the clients from which an ACK or NACK has not been received after file data was transmitted to the clients by means of broadcast or multicast, wherein in a polling mode with non-receipt information, a packet for polling itself or notification of information prior to the polling is transmitted to said network by means of broadcast or multicast, wherein the packet contains permanent IDs of the clients that need reply to the polling, whereas in a polling mode with receipt information, a packet for polling itself or notification of information prior to the polling is transmitted to said network by means of broadcast or multicast, wherein the packet contains permanent IDs of the clients that need not reply to the polling;

a detection section for detecting a number N of clients from which an ACK or NACK has not been received in response to the transmission of the file data from the server to the clients by means of broadcast or multicast; and

a switching section for switching between the polling mode with non-receipt information and the polling mode with receipt information in said polling transmission section based on the number N, and

wherein said client comprises:

Docket No. JP9-2001-0021US1
S/N: 10/076,379

a permanent ID information storage section for storing its own permanent ID information;
a determination section for determining whether or not to reply to the polling based on whether its own permanent ID is contained in the packet for polling itself or notification of information prior to the polling that has been received by means of broadcast or multicast; and
a reply section for replying or not replying to said server in response to the packet for polling received by means of broadcast or multicast based on the determination made by said determination section.

14. The network system according to claim 13, wherein the switching section determines, based on N, which makes the number of packets to be transmitted smaller, the polling mode with non-receipt information or the polling mode with receipt information, and based on the determination switches between the polling mode with non-receipt information and the polling mode with receipt information in said polling transmission section.

15. A server in a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, comprising:

a permanent ID information storage section for storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

a polling transmission section for polling the clients from which an ACK or NACK has not been received after file data was transmitted to the clients by means of broadcast or multicast, wherein in a polling mode with non-receipt information, a packet for polling itself or notification of information prior to the polling is transmitted to said network by means of broadcast or multicast, wherein the packet contains permanent IDs of the clients that need reply to the polling, whereas in a polling mode with receipt information, a packet for polling itself or notification of information prior to the polling is transmitted to said network by means of broadcast or multicast, wherein the packet contains permanent IDs of the clients that need not reply to the polling;

Docket No. JP9-2001-0021US1
S/N: 10/076,379

a detection section for detecting a number N of clients from which an ACK or NACK has not been received in response to the transmission of the file data from the server to the clients by means of broadcast or multicast; and

a switching section for switching between the polling mode with non-receipt information and the polling mode with receipt information in said polling transmission section based on the number N.

16. The server according to claim 15, wherein said switching section determines, based on N, which makes the number of packets to be transmitted smaller, the polling mode with non-receipt information or the polling mode with receipt information, and based on the determination switches between the polling mode with non-receipt information and the polling mode with receipt information in said polling transmission section.

17. A client in a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, comprising:

a permanent ID information storage section for storing its own permanent ID information; wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

a determination section for determining whether or not to reply to the polling based on whether its own permanent ID is contained in the packet for polling itself or notification of information prior to the polling that has been received by means of broadcast or multicast; and

a reply section for replying or not replying to said server in response to the packet for polling received by means of broadcast or multicast based on the determination made by said determination section.

18. A communication method for a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the

Docket No. JP9-2001-0021US1
S/N: 10/076,379

server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, wherein said server performs the steps of:

storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent; and

transmitting a packet for polling to the clients by means of broadcast or multicast, wherein the packet contains information about the permanent IDs of the clients that need or need not reply to the polling, and

wherein said client performs the steps of:

storing its own permanent ID information;

determining whether or not to reply based on whether its own permanent ID is contained in the packet for polling that has been received by means of broadcast or multicast; and

replying or not replying to the server based on said determination.

19. A communication method for a server in a network system that supports unicast as a communication scheme from the server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, comprising the steps of:

storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent; and

transmitting a packet for polling to the clients by means of broadcast or multicast, wherein the packet contains information about the permanent IDs of the clients that need or need not reply to the polling.

20. A communication method for clients in a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, comprising the steps of:

Docket No. JP9-2001-0021US1

S/N: 10/076,379

storing its own permanent ID information, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

determining whether or not to reply based on whether its own permanent ID is contained in the packet for polling that has been received by means of broadcast or multicast; and

replying or not replying to the server based on said determination.

21. A communication method for a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, wherein said server performs the steps of:

storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

transmitting a packet for notification of information to the clients by means of broadcast or multicast, wherein the packet contains information about the permanent IDs of the clients that need or need not reply to a polling packet sent afterward; and

transmitting a packet for polling to the clients by means of broadcast or multicast after having transmitted the packet for notification of information, and wherein said client performs the steps of:

storing its own permanent ID information;

determining whether or not to reply to the polling afterward based on whether its own permanent ID is contained in the packet for notification of information that has been received by means of broadcast or multicast; and

based on the determination, replying or not replying to said server in response to the packet for polling received by means of broadcast or multicast after receipt of the packet of said notification of information.

22. A communication method for a server in a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication

Docket No. JP9-2001-0021US1

S/N: 10/076,379

scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, comprising the steps of:

storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

transmitting a packet for notification of information to the clients by means of broadcast or multicast, wherein the packet contains information about the permanent IDs of the clients that need or need not reply to a polling packet sent afterward; and

transmitting a packet for polling to the clients by means of broadcast or multicast after having transmitted the packet for notification of information.

23. A communication method for clients in a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, comprising the steps of:

storing its own permanent ID information, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

determining whether or not to reply to the polling afterward based on whether its own permanent ID is contained in a packet for notification of information that has been received by means of broadcast or multicast; and

based on the determination, replying or not replying to said server in response to a packet for polling received by means of broadcast or multicast after receipt of the packet of said notification of information.

24. A communication method for a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, wherein said server performs the steps of:

Docket No. JP9-2001-0021US1

S/N: 10/076,379

storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangcable permanent ID in a textual representation that is mutually identifiable and permanent;

polling the clients from which an ACK or NACK has not been received after having transmitted file data to the clients by means of broadcast or multicast, wherein in a polling mode with non-receipt information, a packet for polling itself or notification of information prior to the polling is transmitted to said network by means of broadcast or multicast, wherein the packet contains permanent IDs of the clients that need reply to the polling, whereas in a polling mode with receipt information, a packet for polling itself or notification of information prior to the polling is transmitted to said network by means of broadcast or multicast, wherein the packet contains permanent IDs of the clients that need not reply to the polling;

detecting a number N of clients from which an ACK or NACK has not been received in response to the transmission of the file data from the server to the clients by means of broadcast or multicast; and

switching between the polling mode with non-receipt information and the polling mode with receipt information based on the number N, and wherein said client performs the steps of:

storing its own permanent ID information;

determining whether or not to reply to the polling based on whether its own permanent ID is contained in the packet for polling itself or notification of information prior to the polling that has been received by means of broadcast or multicast; and

based on the determination, replying or not replying to said server in response to the packet for polling received by means of broadcast or multicast.

25. A communication method for a server in a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, comprising the steps of:

Docket No. JP9-2001-0021US1

S/N: 10/076,379

storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

polling the clients from which an ACK or NACK has not been received after having transmitted file data to the clients by means of broadcast or multicast, wherein in a polling mode with non-receipt information, a packet for polling itself or notification of information prior to the polling is transmitted to said network by means of broadcast or multicast, wherein the packet contains permanent IDs of the clients that need reply to the polling, whereas in a polling mode with receipt information, a packet for polling itself or notification of information prior to the polling is transmitted to said network by means of broadcast or multicast, wherein the packet contains permanent IDs of the clients that need not reply to the polling;

detecting a number N of clients from which an ACK or NACK has not been received in response to the transmission of the file data from the server to the clients by means of broadcast or multicast; and

switching between the polling mode with non-receipt information and the polling mode with receipt information based on the number N.

26. A communication method for clients in a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, comprising the steps of:

storing its own permanent ID information wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

determining whether or not to reply to the polling based on whether its own permanent ID is contained in a packet for polling itself or notification of information prior to the polling that has been received by means of broadcast or multicast; and

based on the determination, replying or not replying to said server in response to a packet for polling received by means of broadcast or multicast.

Docket No. JP9-2001-0021US1
S/N: 10/076,379

27. A communication computer program product comprising a computer useable medium having computer program code means recorded thereon for a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, wherein the computer program code means causes a server computer to perform the steps of:

storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent; and

transmitting a packet for polling to the clients by means of broadcast or multicast, wherein the packet contains information about the permanent IDs of the clients that need or need not reply to the polling, and

wherein the program causes a client computer to perform the steps of:

storing its own permanent ID information;

determining whether or not to reply based on whether its own permanent ID is contained in the packet for polling that has been received by means of broadcast or multicast; and

replying or not replying to the server based on said determination.

28. A communication computer program product comprising a computer useable medium having computer program code means recorded thereon for a server in a network system that supports unicast as a communication scheme from the server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, wherein the computer program code means causes a server computer to perform the steps of:

storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent; and

transmitting a packet for polling to the clients by means of broadcast or multicast, wherein the packet contains information about the permanent IDs of the clients that need or need not reply to the polling.

Docket No. JP9-2001-0021US1

S/N: 10/076,379

29. A communication computer program product comprising a computer useable medium having computer program code means recorded thereon for clients in a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, wherein the computer program code means causes a client computer to perform the steps of:

storing its own permanent ID information, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

determining whether or not to reply based on whether its own permanent ID is contained in the packet for polling that has been received by means of broadcast or multicast; and

replying or not replying to the server based on said determination.

30. A communication computer program product comprising a computer useable medium having computer program code means recorded thereon for a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, wherein the computer program code means causes said server computer to perform the steps of:

storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

transmitting a packet for notification of information to the clients by means of broadcast or multicast, wherein the packet contains information about the permanent IDs of the clients that need or need not reply to a polling packet sent afterward; and

transmitting a packet for polling to the clients by means of broadcast or multicast after having transmitted the packet for notification of information, and wherein the program causes said client computer to perform the steps of:

storing its own permanent ID information;

Docket No. JP9-2001-0021US1

S/N: 10/076,379

determining whether or not to reply to the polling afterward based on whether its own permanent ID is contained in the packet for notification of information that has been received by means of broadcast or multicast; and

based on the determination, replying or not replying to said server in response to the packet for polling received by means of broadcast or multicast after receipt of the packet of said notification of information.

31. A communication computer program product comprising a computer useable medium having computer program code means recorded thereon for a server in a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, the computer program code means causes a server computer to perform the steps of:

storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

transmitting a packet for notification of information to the clients by means of broadcast or multicast, wherein the packet contains information about the permanent IDs of the clients that need or need not reply to a polling packet sent afterward; and

transmitting a packet for polling to the clients by means of broadcast or multicast after having transmitted the packet for notification of information.

32. A communication computer program product comprising a computer useable medium having computer program code means recorded thereon for clients in a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, wherein the computer program code means causes a client computer to perform the steps of:

Docket No. JP9-2001-0021US1
S/N: 10/076,379

storing its own permanent ID information, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

determining whether or not to reply to the polling afterward based on whether its own permanent ID is contained in a packet for notification of information that has been received by means of broadcast or multicast; and

based on the determination, replying or not replying to said server in response to a packet for polling received by means of broadcast or multicast after receipt of the packet of said notification of information.

33. A communication computer program product comprising a computer useable medium having computer program code means recorded thereon for a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, wherein the computer program code means causes said server computer to perform the steps of:

storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

polling the clients from which an ACK or NACK has not been received after having transmitted file data to the clients by means of broadcast or multicast, wherein in a polling mode with non-receipt information, a packet for polling itself or notification of information prior to the polling is transmitted to said network by means of broadcast or multicast, wherein the packet contains permanent IDs of the clients that need reply to the polling, whereas in a polling mode with receipt information, a packet for polling itself or notification of information prior to the polling is transmitted to said network by means of broadcast or multicast, wherein the packet contains permanent IDs of the clients that need not reply to the polling;

detecting a number N of clients from which an ACK or NACK has not been received in response to the transmission of the file data from the server to the clients by means of broadcast or multicast; and

Docket No. JP9-2001-0021US1

S/N: 10/076,379

switching between the polling mode with non-receipt information and the polling mode with receipt information based on the number N, and

wherein the program causes said client computer to perform the steps of:

storing its own permanent ID information;

determining whether or not to reply to the polling based on whether its own permanent ID is contained in the packet for polling itself or notification of information prior to the polling that has been received by means of broadcast or multicast; and

based on the determination, replying or not replying to said server in response to the packet for polling received by means of broadcast or multicast.

34. A communication computer program product comprising a computer useable medium having computer program code means recorded thereon for a server in a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, wherein the computer program code means causes a server computer to perform the steps of:

storing permanent IDs of each of the clients, wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

polling the clients from which an ACK or NACK has not been received after having transmitted file data to the clients by means of broadcast or multicast, wherein in a polling mode with non-receipt information, a packet for polling itself or notification of information prior to the polling is transmitted to said network by means of broadcast or multicast, wherein the packet contains permanent IDs of the clients that need reply to the polling, whereas in a polling mode with receipt information, a packet for polling itself or notification of information prior to the polling is transmitted to said network by means of broadcast or multicast, wherein the packet contains permanent IDs of the clients that need not reply to the polling;

detecting a number N of clients from which an ACK or NACK has not been received in response to the transmission of the file data from the server to the clients by means of broadcast or multicast; and

Docket No. JP9-2001-0021US1
S/N: 10/076,379

switching between the polling mode with non-receipt information and the polling mode with receipt information based on the number N.

35. A communication computer program product comprising a computer useable medium having computer program code means recorded thereon for clients in a network system that supports unicast as a communication scheme from a server to one client in a network, multicast as a communication scheme from the server to all the clients in a predetermined group, and broadcast as a communication scheme from the server to all the clients in the network, wherein the computer program code means causes a client computer to perform the steps of:

storing its own permanent ID information wherein each of the clients is granted an unchangeable permanent ID in a textual representation that is mutually identifiable and permanent;

determining whether or not to reply to the polling based on whether its own permanent ID is contained in the packet for polling itself or notification of information prior to the polling that has been received by means of broadcast or multicast; and

based on the determination, replying or not replying to said server in response to the packet for polling received by means of broadcast or multicast.

Docket No. JP9-2001-0021US1

S/N: 10/076,379

EVIDENCE APPENDIX

NONE

Docket No. JP9-2001-0021US1

S/N: 10/076,379

RELATED PROCEEDINGS APPENDIX

NONE